PATHOGENIA
WE MAKE FOOD SAFER

Tel: +15144466500
samples@pathogenia.com

CERTIFICATE OF ANALYSIS

Client information

Transformation Cacao Ivoire Quebec Inc

1565, Rue de Louvain Ouest, Ahuntsic-Cartierville

Montréal, Canada, H4N 1G6

COA information

COA number	**220808_26119_PAR7256**
COA Date	**08-Aug-2022**
Analysis Request ID	**PAR7256**

Sample information

Sample Name	**COCOA BUTTER**	Sample Receiving Date	**03-Aug-2022**
Sample ID	**270722**	Receiving Temperature	**21°C**
Laboratory ID	**PAT25806**		

Results information

Analysis Date	Test	Method Ref.	Results	Units
05-Aug-2022	**E. coli Count**	MFHPB-34	**<10**	CFU/g
05-Aug-2022	**Yeast Count**	AOAC 2014.05	**20**	CFU/g
05-Aug-2022	**Mold Count**	AOAC 2014.05	**<10**	CFU/g
05-Aug-2022	**Enterobacter Count**	MFLP-43	**11400**	CFU/g
05-Aug-2022	**Coliform Count**	MFHPB-34	**11700**	CFU/g
05-Aug-2022	**Salmonella spp.**	MFLP-49	**Negative**	/25g

Authorized by: Laboratory Manager

Signature: 

Details of testing

1. *Results only apply to the items tested and to the sample(s) as received.*
2. *This report may not be distributed or reproduced except in full.*

********** This is end of the Certificate of Analysis **********