

## CERTIFICATE OF ANALYSIS

### Client information

**Transformation Cacao Ivoire Quebec Inc**  
1565, Rue de Louvain Ouest, Ahuntsic-Cartierville  
Montréal, Canada, H4N 1G6

### COA information

COA number **220808\_26120\_PAR7256**  
COA Date **08-Aug-2022**  
Analysis Request ID **PAR7256**

### Sample information

Sample Name **COCOA LIQUOR**      Sample Receiving Date **03-Aug-2022**  
Sample ID **270722**      Receiving Temperature **21°C**  
Laboratory ID **PAT25807**

### Results information

Analysis Date	Test	Method Ref.	Results	Units
05-Aug-2022	E. coli Count	MFHPB-34	<10	CFU/g
05-Aug-2022	Yeast Count	AOAC 2014.05	<10	CFU/g
05-Aug-2022	Mold Count	AOAC 2014.05	50	CFU/g
05-Aug-2022	Enterobacter Count	MFLP-43	<10	CFU/g
05-Aug-2022	Coliform Count	MFHPB-34	<10	CFU/g
05-Aug-2022	Salmonella spp.	MFLP-49	Negative	/25g

Authorized by: Laboratory Manager

Signature:



### Details of testing

1. Results only apply to the items tested and to the sample(s) as received.
2. This report may not be distributed or reproduced except in full.



\*\*\*\*\* This is end of the Certificate of Analysis \*\*\*\*\*