PATHOGENIA
WE MAKE FOOD SAFER

Tel: +15144466500
samples@pathogenia.com

CERTIFICATE OF ANALYSIS

Client information

Transformation Cacao Ivoire Quebec Inc

1565, Rue de Louvain Ouest, Ahuntsic-Cartierville

Montréal, Canada, H4N 1G6

COA information

COA number	**220802_25757_PAR7050**
COA Date	**02-Aug-2022**
Analysis Request ID	**PAR7050**

Sample information

Sample Name	**COCOA POWDER**	Sample Receiving Date	**25-Jul-2022**
Sample ID	**190722**	Receiving Temperature	**21°C**
Laboratory ID	**PAT25263**		

Results information

Analysis Date	Test	Method Ref.	Results	Units
25-Jul-2022	**pH**	MFHPB-03	**5.639**	pH
28-Jul-2022	**Cholesterol**	PAT-SOP087	**<0.01**	g/100 g
28-Jul-2022	**Protein**	AOAC 955.04	**7.2**	g/100g
28-Jul-2022	**Total Sugar**	PAT-SOP091	**2.35**	g/100 g
28-Jul-2022	**Dietary Fiber**	AOAC 985.29	**46.38**	g/100g
29-Jul-2022	**Sodium**	PAT-SOP106	**0.47**	mg/100g
29-Jul-2022	**Calcium**	PAT-SOP106	**108.4**	mg/100g
29-Jul-2022	**Iron**	PAT-SOP106	**84.9**	mg/100g
29-Jul-2022	**Potassium**	USP 233	**1180.3**	mg/100g
02-Aug-2022	**Saturated fat**	PAT-SOP087	**16.9**	g/100 g
02-Aug-2022	**Total Fat**	PAT-SOP087	**26.9**	g/100 g
02-Aug-2022	**Carbohydrate**	PAT-SOP076	**56.69**	g/100g
02-Aug-2022	**Calories**	PAT-SOP076	**498**	Cal/100g

Authorized by: Laboratory Manager

Signature:

Details of testing

1. *Results only apply to the items tested and to the sample(s) as received.*
2. *This report may not be distributed or reproduced except in full.*

**********This is end of the Certificate of Analysis**********